

**This Page Is Inserted by IFW Operations
and is not a part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- **BLACK BORDERS**
- **TEXT CUT OFF AT TOP, BOTTOM OR SIDES**
- **FADED TEXT**
- **ILLEGIBLE TEXT**
- **SKEWED/SLANTED IMAGES**
- **COLORED PHOTOS**
- **BLACK OR VERY BLACK AND WHITE DARK PHOTOS**
- **GRAY SCALE DOCUMENTS**

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**



APPROVED	CLASS	SUBCLASS
BY		
DRAFTSMAN		




FIG.1



APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		




FIG. 2A



APPROVED	BY	CLASS	SUBCLASS
	DRAFTSMAN		




FIG. 2B

4/31

APPROVED BY DRAFTSMAN	O.G. FIG.	SUBCLASS
	CLASS	




FIG.2C

RECEIVED

DEC 11 2002



5/31

APPROVED	O.G. FIG.		SUBCLASS
	CLASS		
BY	DRAFTSMAN		




FIG. 2D

RECEIVED
DEC 11 2003
LABORATORY CENTER 10035000



APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		




FIG. 3A



7/31

APPROVED BY DRAFTSMAN	O.G. FIG.	
	CLASS	SUBCLASS




FIG. 3B



8/31

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		





FIG. 3C



9/31

APPROVED BY DRAFTSMAN	O.C. FIG.	SUBCLASS
	CLASS	



* B AND T CELLS ENRICHED OR DEPLETED
BY MAGNETIC ACTIVATED CELL SORTING
(MACS) AND COMPLEMENT LYSIS.

 WILD TYPE MICE

 "SPLEEN MICE"

FIG. 4A



10/31

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		




FIG. 4B



APPROVED BY DRAFTSMAN	O.G. FIG.	
	CLASS	SUBCLASS




FIG. 5A



12/31

APPROVED BY DRAFTSMAN	O.G. FIG.	
	CLASS	SUBCLASS




FIG. 5B



13/31

APPROVED	O.G. FIG.		
BY	CLASS	SUBCLASS	
DRAFTSMAN			




FIG. 5C



14/31

O.G. FIG.	SUBCLASS
	CLASS
APPROVED BY DRAFTSMAN	




FIG. 6



APPROVED	CLASS	SUBCLASS
BY		
DEPT/STAFF		




FIG.7A



APPROVED	CLASS	SUBCLASS
BY		
DRAFTSMAN		




FIG.7B

RECEIVED

DEC 11 1996



17/31

APPROVED	O.I.P.G.	
BY	CLASS	SUBCLASS
DRAFTSMAN		










FIG.7C




APPROVED	O.G. FIG.
BY	CLASS
DRAFTSMAN	SUBCLASS



RECEIVED
DEC 11 2002
TECH CENTER 1800/5800



19/31





20/31

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		




FIG. 8H



APPROVED	O.C. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		




FIG. 8I





FIG.8J



APPROVED BY DRAFTSMAN	O.G. FIG.	
	CLASS	SUBCLASS




FIG.9A



24/31

APPROVED	O.O. FIG.	
BY	CLASS	SUBCLASS
ERDRAFTSMAN		




FIG.9B



25/31

APPROVED	CLASS	SUBCLASS
BY		
DATE		




FIG.9C



26/31

APPROVED BY DEPUTY COMMISSIONER	O.G. FIG.	
	CLASS	SUBCLASS




FIG.10



27/31

O.G. FIG.	SUBCLASS	
	CLASS	
APPROVED BY	DRAFTSMAN	

DAY 0




FIG. 11A




FIG. 11B

DAY 2




FIG. 11C




FIG. 11D

DAY 40




FIG. 11E








FIG. 11F



O.G. FIG.		
APPROVED	BY	CLASS
DRAFTSMAN		

28/31





APPROVED BY DRAFTSMAN	O.G. FIG.	
	CLASS	SUBCLASS




FIG. 12F




FIG. 12H




FIG. 12E




FIG. 12G



APPROVED	CLASS	SUBCLASS
BY	CLASS	SUBCLASS
DEPARTMENT		

RML	10 ⁻¹	10 ⁻¹	10 ⁻⁴	10 ⁻¹	10 ⁻⁴	10 ⁻¹	10 ⁻²	10 ⁻³	10 ⁻¹	10 ⁻¹	10 ⁻⁴	10 ⁻⁴	-	-	+
Med	-2	-2	-2	0	0	-	-2	-2	0	0	10	10	-	-	-
PK	+	+	+	+	+	+	+	+	+	+	+	+	-	-	+




FIG.13



APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

PRION INFECTIVITY IN SPLEEN OF *Pmp*^{+/-} MICE AFTER
B- AND T-CELL DEPLETION




FIG. 14

RECEIVED

DEC 11 2003

RECEIVED